

PCT

WORLD INTELLEC
In



INTERNATIONAL APPLICATION PUBLISHED

(51) International Patent Classification 6 :
B65D 75/34

WO 9603329A1

A.

(43) International Publication Date: 8 February 1996 (08.02.96)

(21) International Application Number: PCT/US95/07863

(22) International Filing Date: 28 June 1995 (28.06.95)

(30) Priority Data:
08/280,496 26 July 1994 (26.07.94) US

(60) Parent Application or Grant
(63) Related by Continuation
US 08/280,496 (CON)
Filed on 26 July 1994 (26.07.94)

(71) Applicant (for all designated States except US): THE UPJOHN
COMPANY [US/US]; 301 Henrietta Street, Kalamazoo, MI
49001 (US).

(72) Inventor; and
(75) Inventor/Applicant (for US only): LEBLONG, Wayne, T.
[US/US]; 612 Aldersgate, Portage, MI 49002 (US).

(74) Agent: ARNER, Raymond, G.; The Upjohn Company, Corpo-
rate Intellectual Property Law, 301 Henrietta Street, Kala-
mazoo, MI 49001 (US).


(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH,
CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE,
KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN,
MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
TJ, TM, TT, UA, US, UZ, VN, European patent (AT, BE,
CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,
SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML,
MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ,
UG).

Published
With international search report.

(54) Title: CONVERTIBLE CHILD-RESISTANT BLISTER PACKAGE

(57) Abstract

A blister package (10) which can be converted from child-resistant to nonchild-resistant at the user's discretion. A slit (21) is provided in each package for enabling access to an individual blister and a section (22) of the package can be removed to provide access to a tearaway perforated strip for providing access to a row of blisters. Alternatively, a tearaway perforated strip (30) can also be provided for enabling access to an individual blister.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LJ	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

CONVERTIBLE CHILD-RESISTANT BLISTER PACKAGE

BACKGROUND OF THE INVENTION

In recent years, a great deal of effort has been directed toward providing
5 packaging for pharmaceutical products which contain sufficient impediments to
access to the packaged drugs to prevent children from easily opening the package.
These "child-resistant" packages also should be able to provide easy access to the
packaged drugs to adults who are able to follow the directions for opening the
package.

10 A popular type of child-resistant package currently on the market is the so-
called "peel-push" packaging in which tablets are contained in individual flexible
blisters of a thermoplastic material and sealed by a rupturable foil material which is
in turn covered by a protective layer. Access to the tablets is selectively obtained by
peeling off the protective layer to expose a rupturable foil material and pushing the
15 tablet through the rupturable material by pressing on the blister. Examples of this
type of packaging are illustrated in Figure 7 and in U.S. Patent Nos. 3 912 082, 4
011 949, 4 125 190, 5 088 603, 5 172 812 and U.S. Reissue Patent No. 29 705.

Another popular type of child-resistant package is illustrated in Figures 5
and 6. This packaging 10 is made up of a polyvinyl chloride blister layer 116 having
20 a blister 114 provided therein, a thin foil layer 120, a polyester support layer 122
and a paper bottom layer 124. Perforated lines 104, 106 and 108 separate
individual packages 10 from each other and tear slits 110 and 112 are provided in
the packages to allow access to the contents of the packages. The packages 10 are
generally formed into arrays 102 made up of two or more packages 10.

25 Although child-resistant packaging has proved to be successful over a period
of time in being effective in the prevention of children gaining access to the
packaged drug, in environments where children are not present, the child-proof
features of the packaging can be undesirable. That is, in hospitals and homes
containing only elderly people, ease of access to the packaged pharmaceutical is
30 probably the most important consideration with respect to packaging. Therefore,
there is a need for a drug packaging which can be converted from being child-
resistant, in which certain prescribed steps must be performed in order to obtain
access to the drug, to nonchild-resistant, wherein access to the packaged drug is
easily obtained.

SUMMARY OF THE INVENTION

It is, therefore, an important object of the present invention to provide a drug package construction which enables the package to be converted from child-resistant to nonchild-resistant with a minimum amount of effort by the user.

5 It is a further object of the present invention to provide a drug packaging having child-resistant features which require that specific manipulative steps be performed in order to gain access to an individual dose of medicament and which also contains features which enables the drug packaging to be modified by the user such that easy access to the contents of the drug packaging is afforded.

10 The above and other objects of the present invention are accomplished by providing a novel blister foil package for containing a solid medicament. This package comprises a first, second, and a third sheet. The first and second sheets are laminated together and have a plurality of blisters for containing a medicament formed therebetween and aligned into rows composed of two or more blisters. The
15 third sheet is laminated to the second sheet at a side opposite to the first sheet. A first access means is provided in the first, second and third sheets for enabling access to only an individual blister and a second access means is provided in the third sheet for providing access to a row of blisters.

BRIEF DESCRIPTION OF THE DRAWINGS

20 Figure 1 is a perspective view showing a first embodiment of a convertible child-resistant package of the present invention;

Figure 2 is a perspective view showing the package of Figure 1 being converted into nonchild-resistant;

Figure 3 is a cross-sectional view taken along line 3-3 of Figure 1;

25 Figure 4 is a cross-sectional view taken along the line 4-4 of Figure 2;

Figure 5 is a perspective view of a prior art child-resistant package;

Figure 6 is a cross-sectional view taken along the line 6-6 of Figure 5;

Figure 7 is a cross-sectional view showing the step of removing a tablet from a prior art package;

30 Figure 8 is a perspective view showing a second embodiment of a child-resistant package of the present invention showing the child-resistant and nonchild-resistant features of the package; and

Figure 9 is a cross-sectional view taken along the line 9-9 of Figure 8.

DETAILED DESCRIPTION OF THE INVENTION

35 Referring now to Figures 1-4, the convertible child-resistant blister package

10 of the present invention is made up of a first thermoformable layer 11 bonded to a second layer 12 made of a rupturable material. The second layer 12 may be coated with a heat seal coating in order to allow the heat sealing of the first layer 11 to the second layer 12. A plurality of deformations or blisters 15 are provided in the first
5 layer 11 and are aligned in rows made up of two or more blisters 15. The blisters 15 are adapted to receive and contain a solid pharmaceutical medicament 16 therein. A third layer 17 is provided under the second layer 12 and serves as a support therefor. The third layer 17 may be coated with a release peel coating on its side in contact with the second layer 12 in order to prevent permanent bonding between
10 these layers and can optionally be backed by a fourth layer 20.

The first layer 11 preferably is made of polyvinyl chloride or a polyvinyl chloride copolymer, such as vinyl chloride/vinyl acetate copolymers (with or without small amounts of interpolymerized acids present), as well as modified polyvinyl chloride and/or laminated polyvinyl chloride materials. The polyvinyl chloride also
15 may be sprayed or laminated with a polyvinylidene chloride coating to improve its moisture resistance. Other suitable materials for the first layer 11 are polyvinylidene chloride, polypropylene, polyethylene, Aclar®, PETG/PP, PETG/HDPE and blends thereof. The first layer 11 typically has a thickness of from 7.5 to about 15 mil.

20 The second layer 12 is preferably made of aluminum foil and may have a thickness of from 0.8 to 1.0 mil. As discussed above, a heat sealable material, such as a vinyl resin, may be coated on the aluminum foil in order to aid in the heat sealing of the foil layer 12 to the polyvinyl chloride layer 11. A PVC/PVAC copolymer lacquer such as LX4 by Hueck & Cie is especially suitable as the heat
25 seal coating.

The third layer 17 is preferably made of a polyester of about 48 to 100 gauge. Polyethylene terephthalates such as Mylar® by DuPont are especially preferred as the polyester. The third layer 17 is adhered to the second layer 12 in such a manner that the third layer 17 can be peeled from the second layer 12. The adherence of the
30 third layer 17 to the second layer 12 can be accomplished by heat sealing or using a suitable adhesive that does not accomplish permanent bonding. A release peel coating is preferably provided between the second layer 12 and the third layer 17. A one-component polyurethane such as NST7 by Hueck & Cie is suitable as the release peel coating. The fourth layer 20 is provided as a backing layer for the third

layer 17 and is preferably made of paper having a weight of from 15 to 30 pounds. If the paper layer 20 is present, it is formed integral with the polyester layer 17 so that they may be removed as a unit.

In a preferred embodiment of the present invention, the second layer 12, third layer 17 and fourth layer 20 are formed into a unitary laminate. A release peel coating is provided between the second layer 12 and the third layer 17 to prevent the permanent bonding of the second layer to the third layer. A heat seal coating applied to the second layer 12 assists in the bonding of the first layer to the unitary laminate of the second, third and fourth layers. Printing can optionally be provided on either side of the second layer 12 and can be used to evidence tampering of the package 10. Product information and/or opening instructions can be provided on the fourth layer.

As shown in Figures 1-3, tear slits 21 are provided in the package 10. The tear slits 21 extend through the first, second, third and fourth layers and serve as a means for gaining access to an individual blister 15. The tear slits 21 are preferably straight slits which are oriented so that they are normal to the rows of blisters 15 and are directed at individual blisters 15 such that a straight line drawn along the length of the tear slit 21 would intersect with an individual blister 15. The length of the tear slit 21 is not critical and is determined by the desired degree of difficulty in gaining access to the blister 15. Preferably, the tear slits are provided in the face of the package 10 at a location approximately halfway between the edge of the package and the edge of a longitudinally extending perforated strip 27.

In its "unused" state, the package is "child-resistant" in that access to the contents of the package 10 can only be gained by use of the tear slits 21. In this mode, entry to the contents of the package 10 is gained by the user grasping the package at positions directly adjacent to opposite sides of the tear slit and pulling in opposing perpendicular directions with respect to the plane of the package. A tear then ensues from the edge of the package, through the tear slit 21 and into the blister 15 thereby enabling access to the contents of the blister.

Figures 8 and 9 illustrate another embodiment of the present invention where a laterally extending perforated strip 30 serves as the means for gaining access to an individual blister 15. The perforated strip 30 extends laterally from the edge 31 of the package to the outside tear line 32 of the longitudinal perforated strip 27. The lateral perforated strip 30 is also provided in only the third and fourth layers 17, 20. The end 35 of the lateral perforated strip 30 adjacent to the package

edge 31 is not sealed to the second layer 12 to enable the user to easily grasp the perforated strip end 35 and commence the peeling of the third and fourth layers 17, 20 from the second layer 12. The lateral perforated strip 30 is peeled inwardly to the outside tear line 32 where a tear then issues to the inside tear line 33 to expose
5 the rupturable second layer 12 underneath an individual blister 15. The medicament 16 contained in the blister 15 is obtained by pushing or collapsing a part of the blister 15 into the medicament which in turn forces the medicament against the rupturable second layer 12 and ruptures the second layer 12 to give the user access to the medicament 16. As shown in Figure 8, this embodiment of the
10 present invention can be made nonchild-resistant in the same manner as the first embodiment.

Another feature of the present invention is that the package 10 can be made nonchild-resistant. As illustrated in Figure 1, the package 10 of the present invention has a detachable section 22 provided at an end thereof. The detachable
15 section 22 is oriented normal to the rows of blisters 15 and is separated from the remainder of the package 10 by a line of demarcation 25. The line of demarcation 25 can be a perforated line which extends throughout all of the layers of the package or simply a line printed on the front and/or back side of the package 10 indicating where the detachable section 22 is to be removed from the package. In Figure 2, in
20 which the package 10 is viewed from this back side, the line of demarcation 25 is a perforated line.

As shown in Figure 2, the detachable section 22 is removed from the remainder of the package 10 by grasping the package 10 and the detachable section 22 on opposite sides of the perforated line 25 and pulling in opposing perpendicular
25 directions with respect to the plane of the package. A tear would then ensue which separates the detachable section 22 from the remainder of the package 10. Alternatively, the detachable section 22 can be removed from the remainder of the package 10 by cutting the package along the line of demarcation 25.

The removal of the detachable section 22 from the package 10 exposes the
30 end 26 of a longitudinally extending perforated strip 27 provided in the third and fourth layers 17, 20. The perforated strip 27 is provided directly beneath and completely encompasses a row of blisters 15 and extends throughout the length of the row of blisters. The end 26 of the perforated strip is not sealed to the second layer 12 which thereby enables the user to easily grasp the perforated strip end 26
35 and commence the removal of the perforated strip 27 from the back side of the

package 10.

As shown in Figures 2 and 4, by pulling the perforated strip end 26 along the length of the rows of blisters, the perforated strip 27 separates from the rest of the package 10 and exposes the rupturable second layer 12. When the perforated strip
5 27 is completely removed from the back side of the package 10, the user is thereby given easy access to an entire row of blisters.

Once the perforated strip 27 has been removed, the medicament 16 contained in the blister 15 is obtained by pushing or collapsing a part of the blister 15 into the medicament 16 which in turn forces the medicament against the rupturable second
10 layer 12 and ruptures the second layer 12 to give the user access to the medicament 16. Although removal of the perforated strip 27 has been described as making the package 10 nonchild-resistant, it is readily apparent this description is only relative with respect to the package's unused state. After the strip 27 has been removed, the user still must possess the knowledge of pressing the blister 15 into the medicament
15 16 and thereby force the medicament 16 to rupture the second layer 12 and enable access to the medicament. As such, even after removal of the strip 27, the package 10 still affords protection against ready access to children.

It will be apparent to those skilled in the art from the preceding description, that certain changes can be made in the previously discussed package without
20 departing from the scope of the invention. Accordingly, it is intended that the descriptive matter hereinabove shall be interpreted as illustrative and in no way limiting, since all equivalents within the scope of this disclosure may be substituted and such substitution is intended to be embraced in the following claims.

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

1. A convertible child-resistant package comprising a first sheet, a second
5 sheet and a third sheet, the first and second sheets being laminated together and
having a plurality of blisters for containing a medicament defined therebetween, the
third sheet being laminated to the second sheet at a side opposite to said first sheet,
said blisters being aligned into rows composed of two or more blisters, first access
means provided in said first, second and third sheets for enabling access to only an
10 individual blister and second access means provided in said third sheet for providing
access to a row of blisters.

2. The package of Claim 1, wherein said first access means comprises a slit.

15 3. The package of Claim 2, wherein said slit is oriented normal to said rows.

4. The package of Claim 1, wherein said second access means comprises a
perforated strip provided in said third sheet, said perforated strip being provided
directly underneath said row of blisters and extending throughout the length
20 thereof.

5. The package of Claim 4, wherein said second access means additionally
comprises a detachable section provided in said first, second and third sheets, said
detachable section being oriented normal to said perforated strip and contacting an
25 end thereof.

6. The package of Claim 1, wherein said second sheet is aluminum foil.

7. The package of Claim 1, wherein said first sheet comprises polyvinyl
30 chloride.

8. The package of Claim 5, wherein said detachable section is separated from
the remainder of the package by perforated lines provided in the first, second and
35 third sheets.

9. The package of Claim 1, additionally comprising a fourth sheet laminated to the third sheet at a side opposite to said second sheet.

10. The package of Claim 9, wherein said first and second access means are
5 provided in said fourth sheet.

11. The package of Claim 1, wherein said third sheet is a polyester sheet.

12. The package of Claim 9, wherein said fourth sheet is a paper sheet.
10

13. A convertible child-resistant package and medicament combination comprising a first sheet, a second sheet, a third sheet and a fourth sheet, the first and second sheets being laminated together and having a plurality of blisters containing said medicament defined therebetween, the third sheet being laminated
15 to the second sheet at a side opposite to said first sheet and said fourth sheet being laminated to said third sheet at a side opposite to said second sheet, said blisters being aligned into rows composed of two or more blister, first access means comprising a slit provided in said first, second, third and fourth sheets for providing
20 access to only an individual blister and second access means comprising a perforated strip provided in said third and fourth sheets and a detachable section provided in said first, second, third and fourth sheets for providing access to a row of blisters, said perforated strip being provided directly underneath said row of blisters and extending throughout the length thereof and said detachable section being oriented
25 normal to said perforated strip and contacting an end thereof.

14. A convertible child-resistant package comprising a first sheet, a second sheet and a third sheet, the first and second sheets being laminated together and having a plurality of blisters for containing a medicament defined therebetween,
30 said blisters being aligned into rows composed of two or more blisters, and first and second access means provided in said third sheet, said first access means enabling access to only an individual blister and said second access means enabling access to a row of blisters.

35 15. The package of Claim 14, wherein said first access means comprises a

first perforated strip oriented normal to said rows.

16. The package of Claim 14, wherein said second access means comprises a second perforated strip, said second perforated strip being provided directly
5 underneath said row of blisters and extending throughout the length thereof.

17. The package of Claim 14, additionally comprising a fourth sheet laminated to the third sheet at a side opposite to said second sheet.

- 10 18. The package of Claim 17, wherein said first and second access means are provided in said fourth sheet.

1/6




FIG. 1




FIG. 2




FIG. 3

3/6




FIG. 4

4/6




FIG. 5
PRIOR ART



FIG. 6
PRIOR ART

5/6




FIG. 7
PRIOR ART

6/6




FIG. 9




FIG. 8

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 95/07863

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 B65D75/34

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A,5 088 603 (KIRKPATRICK) 18 February 1992 cited in the application see the whole document ---	1,13,14
A	US,E,29 705 (COMPERE) 18 July 1978 cited in the application see the whole document ---	1,13,14
A	US,A,4 537 312 (INTINI) 27 August 1985 -----	

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *d* document member of the same patent family

Date of the actual completion of the international search

30 October 1995

Date of mailing of the international search report

- 7. 11. 95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Smith, C

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No

PCT/US 95/07863

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-5088603	18-02-92	NONE	
US-E-29705	18-07-78	US-A- 3809221 US-A- 3921805	07-05-74 25-11-75
US-A-4537312	27-08-85	EP-A, B 0162378 CA-A- 1235676	27-11-85 26-04-88